

HOSES FOR HOSE REELS - TECHNICAL DATA

AIR-WATER 20 bar

- Blue polyurethane ether-based hoses
- Connection nickel-plated brass - galvanized steel

Article	L.hose	Ø Hose-dimension	Max pressure	Inlet - Outlet
901-0102-120	12 m	1/4" - 6X10 mm	20 bar	F1/4"G - M1/4"G
901-0202-090	9 m	5/16" - 8X12 mm	20 bar	F1/4"G - M1/4"G
901-0212-110	11 m	5/16" - 8X12 mm	20 bar	M3/8"G - M1/4"G gr.
901-0202-120	12 m	5/16" - 8X12 mm	20 bar	F3/8"G - M1/4"G gr.
901-0202-150	15 m	5/16" - 8X12 mm	20 bar	F1/4"G - M1/4"G
901-0202-200	20 m	5/16" - 8X12 mm	20 bar	F3/8"G - M1/4"G gr.
901-0303-100	10 m	3/8" - 10X14 mm	20 bar	F3/8"G - M3/8"G
901-0303-150	15 m	3/8" - 10X14 mm	20 bar	F3/8"G - M3/8"G
901-0303-200	20 m	3/8" - 10X14 mm	20 bar	F3/8"G - M3/8"G
901-0404-100	10 m	1/2" - 13X19 mm	20 bar	F1/2"G - M1/2"G
901-0404-150	15 m	1/2" - 13X19 mm	20 bar	F1/2"G - M1/2"G
901-0404-180	18 m	1/2" - 13X19 mm	20 bar	F1/2"G - M1/2"G
901-0404-200	20 m	1/2" - 13X19 mm	20 bar	F1/2"G - M1/2"G
901-0404-250	25 m	1/2" - 13X19 mm	20 bar	F1/2"G - M1/2"G



AIR-WATER from 20 to 28 bar

- Synthetic black rubber hoses R6
- Galvanized steel connections

Article	L.hose	Ø Hose-dimension	Max pressure	Inlet - Outlet
902-0203-120	12 m	5/16" - 7,9X14,3 mm	28 bar	F3/8"G - M1/4"G
902-0203-180	18 m	5/16" - 7,9X14,3 mm	28 bar	F3/8"G - M1/4"G
902-0303-100	10 m	3/8" - 9,5X16 mm	28 bar	F3/8"G - M3/8"G
902-0303-150	15 m	3/8" - 9,5X16 mm	28 bar	F3/8"G - M3/8"G
902-0303-180	18 m	3/8" - 9,5X16 mm	28 bar	F3/8"G - M3/8"G
902-0303-200	20 m	3/8" - 9,5X16 mm	28 bar	F3/8"G - M3/8"G
902-0404-100	10 m	1/2" - 12,7X19 mm	28 bar	F1/2"G - M1/2"G
902-0404-150	15 m	1/2" - 12,7X19 mm	28 bar	F1/2"G - M1/2"G
902-0404-180	18 m	1/2" - 12,7X19 mm	28 bar	F1/2"G - M1/2"G
902-0404-200	20 m	1/2" - 12,7X19 mm	28 bar	F1/2"G - M1/2"G
902-0404-250	25 m	1/2" - 12,7X19 mm	28 bar	F1/2"G - M1/2"G
902-0404-300	30 m	1/2" - 12,7X19 mm	28 bar	F1/2"G - M1/2"G
902-0404-400	40 m	1/2" - 12,7X19 mm	28 bar	F1/2"G - M1/2"G
902-0404-500	50 m	1/2" - 12,7X19 mm	28 bar	F1/2"G - M1/2"G
902-0505-150	15 m	3/4" - 19X25,8 mm	21 bar	F3/4"G - M3/4"G
902-0505-200	20 m	3/4" - 19X25,8 mm	21 bar	F3/4"G - M3/4"G
902-0505-300	30 m	3/4" - 19X25,8 mm	21 bar	F3/4"G - M3/4"G
902-0505-400	40 m	3/4" - 19X25,8 mm	21 bar	F3/4"G - M3/4"G
902-0606-150	15 m	1" - 25,4X33,2 mm	20 bar	F1"G - M1"G
902-0606-200	20 m	1" - 25,4X33,2 mm	20 bar	F1"G - M1"G
902-0606-300	30 m	1" - 25,4X33,2 mm	20 bar	F1"G - M1"G
902-0708-150	15 m	1.1/4" - 32X44 mm	20 bar	F1.1/2"G - M1.1/2"G
902-0708-200	20 m	1.1/4" - 38X50 mm	20 bar	F1.1/2"G - M1.1/2"G
902-0708-300	30 m	1.1/4" - 38X50 mm	20 bar	F1.1/2"G - M1.1/2"G

